Signal Heading:	POISON
	KEEP OUT OF REACH OF CHILDREN
	READ SAFETY DIRECTIONS BEFORE OPENING OR USING
Product Name:	[INSERT HERE]
Constituent	800 g/L 2,4-D present as the ethyl ester OR
Statement:	800 g/L 2,4-D present as the isobutyl ester (please choose the relevant
	statement for your product)
	[Applicants if your product contains other scheduled excipients please include these here or delete this text]
Bando of Antique	CDOLID
Mode of Action:	GROUP I HERBICIDE
Statement of	[INSERT HERE]
Claims:	
	THIS IS A PHENOXY HERBICIDE THAT CAN CAUSE SEVERE DAMAGE TO NATIVE
	VEGETATION AND SUSCEPTIBLE CROPS SUCH AS COTTON, GRAPES,
	TOMATOES, OILSEED CROPS AND ORNAMENTALS.
Not Contents	[MCEDT HEDE]
Net Contents:	[INSERT HERE]
Restraints:	See 'SPRAY DRIFT RESTRAINTS' and 'GENERAL RESTRAINTS' sections This can
	be uploaded as an attachment when submitting a label
Directions For	Please include a directions for use. Because none of the uses for your product
Use:	are expected to be impacted by the review an updated directions for use has
	not been prepared for your product.
Other	
Limitations:	
Withholding	WITHOLDING PERIODS:
Period:	PASTURE, CEREAL CROPS: DO NOT GRAZE OR CUT FOR STOCK FOOD FOR 7
	DAYS AFTER APPLICATION
	CROP HARVEST WITHOLDING PERIOD: NOT REQUIRED WHEN USED AS
	DIRECTED.
-	
Trade Advice:	
	[INSERT HERE]
General	[INSERT HERE]
	[INSERT HERE]
General	[INSERT HERE] Resistant Weeds Warning
General Instructions:	
General Instructions:	Resistant Weeds Warning GROUP I HERBICIDE
General Instructions:	Resistant Weeds Warning GROUP I HERBICIDE [INSERT PRODUCT NAME] is a member of the phenoxy group of herbicides. The
General Instructions:	Resistant Weeds Warning GROUP I HERBICIDE

For weed resistance management [INSERT PRODUCT NAME] is a group I herbicide. Some naturally-occurring weed biotypes resistant to [INSERT PRODUCT NAME] and other Group I herbicides may exist through normal genetic variability in any weed population. The resistant individuals can eventually dominate the weed population if these herbicides are used repeatedly. These resistant weeds will not be controlled by [INSERT PRODUCT NAME] or other Group I herbicides. Since the occurrence of resistant weeds is difficult to detect prior to use, [INSERT COMPANY NAME] accepts no liability for any losses that may result from the failure of [INSERT PRODUCT NAME] to control resistant weeds.

Precautions:

RE-ENTRY PERIOD

If re-entering treated areas before the spray has dried, workers should wear overalls, elbow-length gloves and water-resistant footwear.

Protection Statements:

PROTECTION OF CROPS. NATIVE AND NON-TARGET PLANTS

DO NOT apply under weather conditions, or from spraying equipment, that may cause spray to drift onto nearby susceptible plants/crops, cropping lands or pastures.

Avoid spray drift and vapour movement onto susceptible crops such as cotton, tobacco, tomatoes, vines, lupins, fruit trees and ornamentals.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT Very toxic to aquatic life. DO NOT contaminate wetlands or watercourses with this product or used containers.

INTEGRATED PEST MANAGEMENT

Toxic to beneficial arthropods. Not compatible with integrated pest management (IPM) programs utilising beneficial arthropods. Minimise spray drift to reduce harmful effects on beneficial arthropods in non-crop areas.

Storage and Disposal:

[Applicants, please chose from the relevant statements below.]

STORAGE AND DISPOSAL:

Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight.

[Refillable Containers]

Empty contents fully into application equipment. Close all valves and return to [point of supply/designated collection point/other specific collection details] for refill or storage.

[Metal drums and plastic containers]

Triple-rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point.

If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of

waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.

]Containers accompanied by a leaflet

If a label leaflet is to be used as part of the label for various containers that have different disposal instructions, the following 'Disposal' statement may be shown on the label leaflet in place of the full disposal instructions:]

The method of disposal of the container depends on the container type. Read the 'Storage and disposal' instructions on the label that is attached to the container.

[drumMUSTER containers]

This container can be recycled if it is clean, dry, free of visible residues and has the drumMUSTER logo visible. Triple-rinse container for disposal. Dispose of rinsate by adding it to the spray tank. Do not dispose of undiluted chemical on site. Wash outside of the container and the cap. Store cleaned container in a sheltered place with cap removed. It will then be acceptable for recycling at any drumMUSTER collection or similar container management program site. The cap should not be replaced, but may be taken separately.

Safety Directions:

Harmful if inhaled or swallowed. Will irritate the eyes and skin. Avoid contact with the eyes and skin. Do not inhale vapour.

When opening the container and preparing spray, wear cotton overalls buttoned to the neck and wrist and a washable hat, elbow-length chemical resistant gloves and face shield or goggles.

When using the prepared spray, wear cotton overalls buttoned to the neck and wrist and a washable hat and elbow-length chemical resistant gloves.

If applying by hand wear half facepiece respirator with organic vapour/gas cartridge or canister. If product on skin, immediately wash area with soap and water.

If product in eyes, wash it out immediately with water.

After use and before eating, drinking or smoking wash hands, arms and face thoroughly with soap and water.

After each day's use, wash gloves, respirator and if rubber wash with detergent and warm water, face shield or goggles and contaminated clothing.

First Aid Instructions:

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26, New Zealand 0800 764 766.

Restraints

GENERAL RESTRAINTS

DO NOT USE in any state or territory except WA.

Product MUST BE USED in accordance with relevant WA legislation and regulations. **NOTE: Refer to Department of Agriculture and Food for state restricted spray areas** <u>agric.wa.gov.au</u>.

DO NOT apply this product by aircraft or ground based misters.

DO NOT apply this product:

- in aquatic situations
- to rights of way
- as a harvest aid/salvage spray

DO NOT apply more than 560g ae/ha (700mL of this product per ha)

DO NOT apply if heavy rains or storms are forecast within 3 days.

DO NOT irrigate to the point of runoff for at least 3 days after application.

DO NOT apply if crop or weeds are stressed due to dry or excessively moist conditions.

[Applicants please INSERT additional restraints not covered by the proposed regulatory decision if they are applicable to your product]

SPRAY DRIFT RESTRAINTS

DO NOT apply by a vertical sprayer

Specific definitions for terms used in this section of the label can be found at www.apvma.gov.au/spraydrift

DO NOT allow bystanders to come into contact with the spray cloud

DO NOT apply in a manner that may cause an unacceptable impact to native vegetation, agricultural crops, landscaped gardens and aquaculture production, or cause contamination of plant or livestock commodities, outside the application site from spray drift. The buffer zones in the relevant buffer zone tables below provide guidance but may not be sufficient in all situations. Wherever possible, correctly use application equipment designed to reduce spray drift and apply when the wind direction is away from these sensitive areas.

DO NOT apply unless the **wind speed** is between 3 and 20 kilometres per hour at the **application site** during the time of application.

DO NOT apply if there are **hazardous surface temperature inversion** conditions present at the **application site** during the time of application. **Surface temperature inversion conditions** exist most evenings one to two hours before sunset and persist until one or two hours after sunrise.

DO NOT apply within 2km of potentially sensitive or susceptible aquatic areas, town sites or non-target vegetation. The latter includes commercial seedling and plant nurseries, horticultural crops, grapevines, tomato crops, intensive agricultural operations and wildflower processing crops, national parks, nature reserves, areas and aquaculture operations.